

**Safety data sheet according to
1907/2006/EC, Article 31**

Printing date 13.06.2022

Version number 1

Revision: 10.06.2022

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

- **1.1 Product identifier**
- **Trade name:** Woodcap Repairs Ultracryl Flex

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture**
Sealant
Construction chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Köhler woodcap
Bovendijk 196
30 4 5PD Rotterdam, The Netherlands
- Further information obtainable from : B.E. Cankrien
- **1.4 Emergency telephone number:** European emergency number : 11 2 (24h)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the GB CLP regulation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:** Keep out of reach of children. EUH208 Contains a mixture of : 5-chloro -2-methyl-2H-1,2,4-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-1,2,4-isothiazol-3-one [EC No 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains biocidal products : a mixture of : 5-chloro -2-methyl-2H-1,2,4-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-1,2,4-isothiazol-3-one [EC No 220-239-6] (3:1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit : Skin Sens. 1; H31 ≥ 0.05 % 7: C	<0.05%
-------------------------------------	---	--------

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022










Version number 1

Revision: 10.06.2022

Trade name: Woodcap Repairs Ultracryl Flex

(Contd. of page 1)

CAS: 5 596 5-8 4 -9 a mi x ture of : 5-chloro -2-methyl-2 H -isothiazol-3-one [EC No 247-00015% Re
g.nr.: 01-212076 4 691-4 8 500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 2 2 0-239-6] (3:1)

<p>  Acute Tox . 3, H301; Acute Tox . 2, H310; Acute Tox . 2, H330; SK in  H318; Aquatic Acu te 1,  Sk in S ens . 1A , H317  H4 00 (M=100); Aquatic Chronic 1, H410 (M=100);  Sp ec i fic concentration limit 0.06% in SK in Corr. 1B, H314; C  C < 0.6 % Eye Dam. 1; H318; C  0.6 % Eye Irri t . 2 ; H319:  0.06% % Sk in S ens . 1A , H317 ; C  ≥ 0.0 015 % </p>	<p> Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acu te 1, Sk in S ens . 1A , H317 H4 00 (M=100); Aquatic Chronic 1, H410 (M=100); Sp ec i fic concentration limit 0.06% in SK in Corr. 1B, H314; C C < 0.6 % Eye Dam. 1; H318; C 0.6 % Eye Irri t . 2 ; H319: 0.06% % Sk in S ens . 1A , H317 ; C ≥ 0.0 015 % </p>
--	---

· **Additional information:** For the wording of the listed hazard phrase s refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· **General information:** No special measures required.

· **After inhalation:** Supply fresh air ; consult doctor in case of complaints .

In case of unconsciousness place patient stably in side position for transportation .

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse open eye for several minutes under running

water. If symptoms persist, consult doctor.

· **After swallowing:** If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available .

4.3 Indication of any immediate medical attention and special treatment needed

symptomatic treatment

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Water spray.

Fire-extinguishing powder.

Foam.

Carbon dioxide.

Use fire extinguishing methods suitable to surrounding conditions .

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

5.3 Advice for firefighters

· **Protective equipment:** Mouth respirator y protective device.

· **Additional information** Dispose of fire debris and contaminated fire fighting water in accordance with official regulations .

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.

· **6.2 Environmental precautions:** Do not allow to enter sewers / surface or ground water. Inform responsible authorities in case of seepage into water courses or sewage system.

· **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment .

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 1

Revision: 10.06.2022

Trade name: Woodcap Repairs Ultracryl Flex

See Section 13 for disposal information.

(Contd. of page 2)

* SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- Ensure good ventilation / exhaust at the workplace.

· Information about fire - and explosion protection:

- Protect from heat.
- Keep ignition sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

- Store in a cool location.
- Store only in the original receptacle.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

- Protect from frost.
- Keep container tightly sealed.
- Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

* SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

- **Respiratory protection:** Not necessary if room is well-ventilated.

· Hand protection

EN 374



Protective gloves

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

Polyethylene gloves.

Recommended thickness of the material: ≥ 0.02 mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31 Version

Printing date 13.06.2022

number 1

Revision: 10.06.2022

Trade name: Woodcap Repairs Ultracryl Flex

(Contd. of page 3)

· Eye/face protection

EN 16 6



Safety glasses

· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and boiling range	Not determined
· Flammability	Not applicable
· Lower and upper explosion limit	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	Not applicable
· Decomposition temperature:	Not determined
· Viscosity:	
· Kinematic viscosity	Not determined
· Dynamic:	Not determined
· Solubility	
· water:	Soluble
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure:	Not determined
· Density and/or relative density	
· Density:	Not determined
· Relative density	Not determined
· Vapour density	Not determined

· 9.2 Other information

· Appearance:

· **Form:** · **Important information on protection of health and environment, and on safety.** Paste

· Auto-ignition temperature:	Product is not self-igniting
· Explosive properties:	Product does not present an explosion hazard
· Change in condition	
· Evaporation rate	Not determined

· Information with regard to physical hazard classes

· Explosives	Void	Void
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31 Version

Printing date 13.06.2022

number 1

Revision: 10.06.2022

Trade name: Woodcap Repairs Ultracryl Flex

(Contd. of page 4)

· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No hazardous reactions if the regulations / notes for storage and handling of the product will be respected.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
Stable under recommended storage and handling conditions.
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid**
Handle away from heat, ignition sources, sparks, ignition points, flames, static electricity.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties. (Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 1

Revision: 10.06.2022

Trade name: Woodcap Repairs Ultracryl Flex

(Contd. of page 5)

- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
 - Not hazardous for water.
 - Do not allow product to reach ground water, water course or sewage system, even in small quantities.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose of in a safe manner in accordance with local / national regulations. Do not allow to enter surface or ground water. Assigning a code from the waste catalogue depends on the sector, in which the user operates, as well as on arrangements made between the waste generator and a competent environment protection department.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|---|-----------------|
| · 14.1 UN number or ID number
· ADR, IMDG, IATA | Not applicable |
| · 14.2 UN proper shipping name
· ADR, IMDG, IATA | Not applicable |
| · 14.3 Transport hazard class(es)
· ADR, ADN, IMDG, IATA
· Class | Not applicable |
| · 14.4 Packing group
· ADR, IMDG, IATA | Not applicable |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · UN "Model Regulation": | Not applicable |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - 1 907/2006/CE Regulation, U K REACH
 - 2 272/2008/CE Regulation, G B CLP
 - 3 02/0878/UE Regulation

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 1

Revision: 10.06.2022

Trade name: Woodcap Repairs Ultracryl Flex

(Contd. of page 6)

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· Other regulations, limitations and prohibitive regulations No restriction

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H Toxic if swallowed.

H Harmful if swallowed.

H Fatal in contact with skin.

H Causes severe skin burns and eye damage.

H Causes skin irritation.

H 7 May cause an allergic skin reaction.

H Causes serious eye damage.

H Fatal if inhaled.

H 00 Very toxic to aquatic life.

H Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: Accord relatif au transport international de marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road) IMDG:

International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern vP

vB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category

3 Acute Tox. 4: Acute toxicity - Cate

gory 4 Acute Tox. 2: Acute toxicity -

Category 2 Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1