

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : Fill & Finish
 Product Group : Projecting plaster conforming to NF EN 13963
 Specify whether the product contains nanoforms : Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use
 Use of the substance/mixture : Large surface coating.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Etex France Building Performance.
 500 Rue Marcel Demonque - Zone Agroparc - CS 70088
 Zone Agroparc
 PO box CS 70088
 84915 AVIGNON CEDEX 9 - France
 T +334 32 44 44 44
fds.efbp@etexgroup.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
Deutschland	Informationszentrale gegen Vergiftungen Zentrum für Kinderheilkunde, Universitätsklinikum Bonn	Adenauerallee 119 53113 Bonn	+49 (0) 228 19 240
Belgium	Centre Antipoisons	c/o Hôpital Militaire Reine Astrid, Rue Bruyn 1, 1120 Bruxelles, Belgium	+32 (0) 226 49 636

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixture/Substance: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word : None
 Hazard pictograms : None
 Hazard statements : None
 EUH-Praheses : Contains biocide, Contains C(M)IT/MIT (3:1); 1,2-benzisothiazol-3(2H)-one (2634-33-5) ; 2-méthylisothiazol-3(2H)-one (2682-20-4). May produce an allergic reaction
 Precautionary statements : P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P103 Read label before use.
 P261 Avoid breathing dust, vapours.
 P280 Wear protective gloves, eye protection, face protection.
 P302+P352 IF ON SKIN: Wash with plenty of water and soap.
 P501: Dispose of container in an approved treatment center.
 Child-resistant fastening : Not applicable
 Tactile warning : Not applicable

Fill & Finish

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended by regulation (EU) 2020/878

2.3. Other hazards

Other hazards not contributing to the classification : Can irritate the eyes, airways if creating dust.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Chemical name	No	%	Class(es)	Specific concentration limit
Oxyde de zinc	n°CAS : 1314-13-2 N°UE : 030-013-00-7 N°CE : 215-222-5	≤0,1	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Non applicable
1,2-benzisothiazol-3(2H)-one	n°CAS : 2634-33-5 N°UE : 613-088-00-6 N°CE : 220-120-9	0,01 < 0,04	Acute Tox. 4 Oral - H302 Aquatic Acute 1 - H400 Eye Dam. 1 - H318 Skin Irrit. 2 - H315 Skin Sens. 1 - H317	Skin Sens. 1 - H317 : 0,05>=%<=100
2-méthylisothiazol-3(2H)-one	n°CAS : 2682-20-4 N°UE : 613-326-00-9 N°CE : 220-239-6	<0,0015	Acute Tox. 2 Inhalation - H330 Acute Tox. 3 Dermal - H311 Acute Tox. 3 Oral - H301 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Eye Dam. 1 - H318 Skin Corr. 1B - H314 Skin Sens. 1A - H317	Skin Sens. 1A - H317 : 0,0015>=%<=100 Facteur M: 10 / 1
Mixture of: 5-chloro-2-méthyl-2H-isothiazol-3-one [No. CE247-500-7]; 2-méthyl-2Hisothiazol-3-one [No. CE 220-239-6] (3:1)	(N° CAS) 55965-84-9 (N° Index) 613-167-00-5	0.0010 - < 0,0015	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	(0,0015 ≤C ≤ 100) Skin Sens. 1A, H317 (0,06 ≤C < 0,6) Skin Irrit. 2, H315 (0,06 ≤C < 0,6) Eye Irrit. 2, H319 (0,6 ≤C ≤ 100) Eye Dam. 1, H318 (0,6 ≤C ≤ 100) Skin Corr. 1C, H314

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Does not require any specific or particular technical measures. Assure fresh air breathing. In the event of faintness, seek medical advice.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : If contact with skin, using clean water, rinse and then wash. Using soap & water. If eye irritation persists, take medical advice.

First-aid measures after ingestion : Spit. Rinse mouth. Do not induce vomiting.

Potential immediate medical care : Refer to section 4.2.

Delayed effects : Refer to section 4.2

Wearing rescue IPES: : Refer to 6.1

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media can be used.

5.2. Special hazards arising from the substance or mixture

Reactivity in case of fire : Reaction to fire A2-s1,d0

Hazardous decomposition products in case of fire : Presence of dangerous fumes related to the burning of the bag (Kraft + polyethylene).

Fill & Finish

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended by regulation (EU) 2020/878

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Gloves.
Prevention (removal from flammable sources, etc.) : No additional information available
Emergency procedure : No additional information available

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

6.2. Environmental precautions

Do not discharge to sewers or the natural environment
Do not discharge into pipes, runoff or groundwater.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Sweep or shovel spills.
Advice on spill containment : No additional information available.
Cleaning procedures : No additional information available.
Other information : f powder is spilled on the floor, do not use water to avoid slipping

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use suitable equipments to avoid risks of sliding or breaking, when lifting the boards.
Tips for occupational hygiene : Do not eat, drink or smoke in work areas, wash hands after each use and remove contaminated clothing and protective equipment before entering a food court.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Precautions must be taken to ensure the stability of the pallets.
No additional information available
Storage place :

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

France	Local name	Quartz
France	VME (mg/m ³)	<= 0.1 mg/m ³
France	For Quartz : Etex France Building Performance recommends that the value of 0,05 mg/m3. Total based on 8 hours TWA period Gypsum : - 10 mg/m3 (inhalable) - 4 mg/m3 (respirable)	
EU	Local name	Silica crystalline
EU	VME (mg/m ³)	0,1 mg/m ³

8.2. Exposure controls

Appropriate engineering controls : The concentration of respirable quartz dust in the workplace air must be checked. Any mechanical action (Screwing, drilling, sanding, mixing...) on the product can generate dust containing quartz particles. Avoid the emission of dust into the air using equipment or tools equipped with dust extraction systems. Change and wash work clothes regularly. Ensure proper ventilation of the work area and ensure cleanliness.
Hand protection : Gloves
Eye protection : Chemical goggles or safety glasses. Use splash goggles when eye contact due to splashing is possible.
Respiratory protection : Wear appropriate mask. To further reduce exposure to dust, use appropriate respiratory protection complying with BS EN Standards. A dust mask of type FFP2 will be required.
Environmental exposure controls : No special measures. No ecotoxicity risk has been found for quartz.

Fill & Finish

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended by regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: white.
Odour	: None.
pH	: <11,5
Flash point	: not applicable
Auto-ignition temperature	: not applicable
Decomposition temperature	: No decomposition below 100°C
Density	: 870 kg/m ³
Solubility	: Dispersible and partially soluble.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

Avoid dust formation.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Due to its composition mainly based on mineral raw materials, this product may contain traces of quartz. Any mechanical action during the operation of this product (drilling, sanding, mixing, etc.) releases dust which may contain traces of quartz. Inhalation of high concentrations of dust may irritate the respiratory tract. Dust can also irritate the eyes or skin. Inhalation of dust, particularly fine respirable dust, in high concentration and over a long period of time, can cause lung disease (silicosis) and increase the risk of lung cancer. This opinion was issued by the International Agency for Research on Cancer (IARC) on the basis of observations by highly exposed workers such as miners and employees in the foundry or terracotta.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

Fill & Finish

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended by regulation (EU) 2020/878

12.2. Persistence and degradability

Persistence and degradability

Calcium sulphate, in the presence of organic matter and under certain anaerobic conditions, leads to the formation of hydrogen sulphite.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

: Elimination to be carried out in accordance with legal requirements

Waste disposal recommendations

: Storage in waste dumping as non dangerous waste, and according to local regulation. Conform to local regulation regarding the disposal of wrapping waste products.

European List of Waste (LoW) code

: No additional information available

Specific recommendations

: Do not discharge wastewater into the environment.

SECTION 14: Transport information

Not submitted to ADR

Not classified

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

France

Labeling construction or wall or floor covering products and paints and varnishes on their emissions of volatile pollutants (Decree of April 19, 2011):



*Information on the level of emissions of volatile substances into indoor air, at risk of inhalation toxicity, on a class scale ranging from A-- (very low emissions) to C (high emissions)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Version number	Revue date	Modifications
0.0	21/12/2023	Document creation

These products are only intended for use as defined within current Etex France Bulding Performance Literature.

This data sheet does not replace the user's own work place risk assessment. It is not intended for the purposes of precise product specification nor warranty.

All information and instructions provided in this data sheet are based on the current state of scientific, technical and legal knowledge at the date indicated on the present data sheet. The user should ensure that the data sheet being consulted is the current version. To confirm this, or for any additional information or support on intended use, please contact the Etex France Bulding Performance Technical Services.